



File Name: camara sony dsc-s730 manual.pdf

Size: 2190 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 15 May 2019, 12:54 PM

Rating: 4.6/5 from 629 votes.

Status: AVAILABLE

Last checked: 15 Minutes ago!

In order to read or download camara sony dsc-s730 manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with camara sony dsc-s730 manual . To get started finding camara sony dsc-s730 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

camara sony dsc-s730 manual

Sony news in your inbox. Download our apps. Support Support Self Support Contact Support Community Register a Product Sign In Favorites Sony Rewards Electronics Registration Electronics Community Favorites Favorites Search Sony Sony Sites Search Sony To get the full experience on Sony.com, please change your settings to allow JavaScript. We recommend downloading and installing the latest version of one of the following browsers Our site is not optimized for your current browser. A newer version of your browser may be available Chrome Chrome Download the latest version IE Internet Explorer Download the latest version Firefox Firefox Download the latest version Apple Safari Download the latest version Proceed with current browser for now Proceed with current browser for now. Record tile serial nunlbc in the space provided below. Return to these numbers whenever you call upon your Sony dealer regarding this product. Model No. DSCS730 For your protection, please read these safety Serial No. Unplug tile set IYom tile wall outlet before use. This will prevent damage to tile set due to cleaning or polishing it. Do not use liquid cleaners flammable and powerline surges. Do not expose tile batteries to excessive heat such as sunshine, fire or tile like. EMC and product safety is Sony Deutschland GmbH. Hedelfinger Strasse 61, 70327 Stuttgart, Germany. Do not recharge, disassemble or dispose of in fire. Position the subject in the center of the focus frame. Shoot with the shutter button. Only the available items are displayed on the screen. Shooting menu COLOR Color Mode Changes the vividness of the image or adds special. Function Guide Displays the description of functions when you operate the camera. Red Eye Reduction Reduces the red-eye phenomenon when using the flash. Auto Review Displays the recorded image on the screen for approximately. Supported Operating Systems for USB connection and application software supplied For Windows users. <http://developingzone.com/app/cam2742tq2-manual.xml>

- **camara sony dsc-s730 manual, camara sony dsc-s730 manual download, camara sony dsc-s730 manual pdf, camara sony dsc-s730 manual free, camara sony dsc-s730 manual 2017.**

Be aware that by sending tile camera for repair, you give consent that the contents of the internal memory may be checked. The battery remaining indicator is incorrect, or sufficient battery remaining indicator is displayed but the power runs out too quickly. Shooting in extremely cold or hot places In places such as in a car parked. Printed on 70% or more recycled paper using VOC Volatile Organic Compound free vegetable oil based ink. Printed in China. Cybershot DSCS730 Digital Camera pdf manual download. View and Download Sony Cybershot DSCS730 handbook online. Digital Still Camera. This model is. Serial Number Location On the bottom of the camera. Request ECCN for Sony Cybershot DSC HX400V. Sony Cybershot DSCF717. Sony DSCS730 review, find out how the DSCS730 stacks up against the competition in our realworld review. Reload to refresh your session. Reload to refresh your session. To get the full experience on Sony.co.uk, please change your settings to allow JavaScript. Frequently Asked Questions for PlayMemories Home View All Find information and receive instant notifications about your product. The camera includes 22MB of internal memory so that you can shoot pictures and video clips with your camera right away. You can also purchase an optional Memory Stick Duo media card in capacities up to 4GB to expand your shooting capability. Even if you're new to digital photography, the Cybershot DSCS730 guides you with a handy display of functions like flash, macro and self-timer settings. There's also onscreen advice to help you select the right setting for your chosen subject with the Shooting Mode dial. It has a 3x optical zoom lens and high sensitivity ISO 1250 that helps reduce blur when shooting indoors or at twilight, even without using the flash. The camera includes 22MB of internal memory so

that you can shoot pictures and video clips with your camera right away. <http://astmasme.com/userData/board/fisher-price-aquarium-soother-manual.xml>

High Sensitivity Mode For sharp, flashfree photos without blur, the high sensitivity mode ISO 1250 allows shooting at higher shutter speeds for better pictures in lowlight conditions great for birthday parties, indoor gatherings, and candid portraits. **Burst Mode** Fire off three shots automatically at approximately 1second intervals VGA standard mode or 2second intervals full resolution mode. **Convenient Photo Modes** To adjust quickly for specific shooting situations, the DSCS730 includes several convenient photo modes to choose from including Auto, Program Auto, and Scene Selections for Twilight, Portrait, Landscape, and other shooting environments. **Function Guide** The beginnerfriendly function guide helps manage various functions and settings by displaying the description of chosen functions or settings on the LCD screen. The Function Guide can also be switched off. **Internal and Expandable Memory** The DSCS730 includes 22MB of builtin memory, so you can start shooting right away. A builtin slot accepts optional Memory Stick Duo media or Memory Stick PRO Duo media with which you can expand the camera memory to over 4GB and store hundreds of high resolution images. **Picture Motion Browser Software** Supplied software makes it easier to upload, organize, and search photos on your PC. When shooting photos using your camera and an optional GPS unit, the software even provides a convenient map view function that lets you sort photos by location and display their origin on a world map. **Simple Setup Controls** A quick press of the Home button opens your userfriendly graphical interface, then select functions by simply moving a cursor vertically or horizontally to the appropriate icon. Intuitive function names and the onscreen Function Guide display make it easier to learn camera setup operations. **Stamina Battery Power** The camera can capture up to 100 shots with standard AA alkaline batteries, and can capture up to 460 shots with optional NiMH rechargeable batteries.

Let us know YOUR RECENTLY VIEWED ITEMS Browsing History ON Clear History Not responsible for typographical or illustrative errors. Repair guides for a large selection of Sony digital and film cameras. Sony Camera troubleshooting, repair, and service manuals. This keypad for your homes security system features support for 6 languages, 5 programmable function keys, panic keys, programmable labels, and more. Por favor, me socorram them. Estou desesperada, pois estou com dificuldades em manuseala. Ficarei mto grata!!!! Estou desesperada, pois estou com dificuldades em manuseala. Alfa Laval Manuals User manuals Sony Cybershot Dsc S700 S730 S750 Service Repair Manual More references related to sony cybershot dsc s700 s730 s750 service repair manual Quilting Answer Book User Manual Guide Sony Cyber Shot Cameras Hx200v Portugues Da Sony Cybershot DSCH300 Camera User Manual, Instruction Manual, User Portuguese User Imprima e leve com voce Com esse diagrama voce vai poder tem uma ideia de como vai ficar sua foto. Conforme a configuracao da camera e Manual de instrucciones Manual de instrucoes DSCS730 Camara fotografia digital Camara fotografica digital Manual de instrucciones Antes de utilizar la unidad, lea detenidamente este manual y conservelo para consultarlo en el futuro. Instrucoes de Funcionamento Antes de utilizar a unidade, leia atentamente es te manual e guardeo para consulta posterior. Para obtener mas informacion Internetowy sklep fotovideo. W ofercie aparaty cyfrowe, kamery cyfrowe, projektory, karty pamieci i pozostale akcesoria. Pewnosc zakupu gwarantuje m.in. certyfikat EuroLabel. Szybka dostawa, dobre ceny. Internetowy sklep fotovideo. Acer emachines e725 windows 8 drivers. Use Peatix for any event and ticketing needs! Coorganizers can edit group and event pages, access sales and attendee information, manage ticket sales and more. See compatible TVs Support Support Support My Sony Community Stay informed with a Sony account to get news, offers and promotions.

Sign up now Hi My Sony Sign in Favourites My Products Register a new product My Account Details Newsletter Preferences Community Favourites Sign out Favourites Search Sony Sony Sites Search Sony To get the full experience on Sony.co.uk, please change your settings to allow JavaScript.

PlayMemories Home Expand What is PlayMemories Home. Frequently Asked Questions for PlayMemories Home How do I import or transfer photos and videos to a computer with PlayMemories Home. How do I install the PlayMemories Home software View All Find information and receive instant notifications about your product We recommend downloading and installing the latest version of one of the following browsers Our site is not optimized for your current browser. Explore now Support Hi My Sony Sign in Favourites Newsletter Subscriptions Community Favourites Sign out Favourites Search Sony Sony Sites Search Sony To get the full experience on Sony.co.uk, please change your settings to allow JavaScript. Where can I find out if a firmware update is available for my camera or camcorder. Just bookmark your product on the app! How to photograph fireworks with Cybershot How to Set Language, Add Date Expand Can the date be recorded on an image. How to change the language in the settings of the camera. Import Photos and Videos to a Windows Computer Using PlayMemories Home Import Photos and Videos to a Macintosh Mac Computer Using PlayMemories Home Battery Frequently Asked Questions Expand The power does not turn ON even if the battery pack or AC adapter is attached. The battery does not charge. Lens and accessory compatibility for cameras and camcorders The battery drains quickly. The battery or camera becomes hot or very warm to the touch. Is the battery pack always charging while the camera is connected to a computer or the supplied AC adaptor via a USB cable. Watch Out for Counterfeit Products View All Find information and receive instant notifications about your product.

To get the full experience on Sony.co.uk, please change your settings to allow JavaScript. Where can I find out if a firmware update is available for my camera or camcorder. NOTES Other related information and downloads for Mac OS computers are available. If you do not want to use Shooting night scenes or decorative lighting with Cybershot This introduces techniques for taking beautiful shots of night scenes. Night scenes may include streets light by streetlamps and gorgeous bright lighting. Follow the hints below to capture photographs of beautiful Shooting landscapes and flowers with Cybershot This introduces techniques for taking shots of nature scenes such as spring greenery, autumn leaves, and flowers. Camera settings Switch the SteadyShot setting to On. NOTE When using a tripod, switch the setting How to photograph fireworks with Cybershot Using the Fireworks scene selection allows you to automatically shoot at settings best for photographing fireworks. With cameras that allow manual shooting, changing shutter speed and other settings allows you to How to disable the All Sync feature of PlayMemories Online. The All Sync feature automatically uploads images registered in PlayMemories Home directly to PlayMemories Online. Follow the steps below to turn off this feature. IMPORTANT Sign in to your PlayMemories Online The builtin flash does not function. The following are possible causes. Try a solution according to the circumstances. If the flash setting is Off If set to Off, the flash will not work even if dark. Change the flash setting to On, and then see if The lens is stuck and will not open, retract, or extend. Try the following IMPORTANT Turn the power off, then on message may appear if the camera detects an excessive stress, dust, or debris on the lens. If this occurs, turn the power of the camera off and then back The camera turns off by itself after I transfer images to the computer with the PlayMemories Home software.

If you want the camera to remain on after image transfer Dirt will not come off the LCD screen. If the LCD screen becomes very dirty, wipe lightly with a soft cloth dampened with cold or warm water, and then wipe dry. Note Using chemical substances such as thinner, benzene, alcohol, chemical wipes, insect White, round glare spots or orbs sometimes appear in a recorded image when using the flash. If there are specs of dust particles floating in the air, they can be illuminated by the strong light of the flash and sometimes appear in a recorded image as white, round glare spots aka orbs. This symptom tends Load More How to Set Language, Add Date Can the date be recorded on an image. Import Photos and Videos to a Windows Computer Using PlayMemories Home Import Photos and Videos to a Macintosh Mac Computer Using PlayMemories Home Battery Frequently Asked Questions The power does not turn ON even if the battery pack or AC adapter is attached.

Watch Out for Counterfeit Products Find information and receive instant notifications about your product. Now I can have the camera sitting on my desk while it charges instead of on the floor. Sure beats having to charge the batteries inside the camera like Sony says in the manual. Plus, I get two more batteries! This one I got is an NP FG1 instead as labelled and is a better battery, I guess, as it got a higher capacity 1400mAh compared to the BG1 which is 960mAh. Have been using it for a couple of months and did several rechargings too. So far so good without any problem. In fact slightly better than my original Sony NP BG1 as it holds a longer charge which translates to more shots. Also it displays the remaining charge in HHMM instead of just a graphical indication as in the case of the original battery. Gave it 4star cos it seems very slightly bigger than the original BG1 this can be noticed when inserting the battery into the camera compartment.. full review And it was much less expensive than I thought.

I was prepared to have to find a cord to use with the charger after reading all of the reviews, but the one I received plugs right into the wall. It was a very pleasant surprise. The battery charged perfectly and this was very easy to use. I received both batteries, a charger kit, and an international connector for the charger for considerably less than the cost of one brand name battery. The batteries fit and operate perfectly in my Nikon 3200. No regrets! I'd do it again! However, the car charger that comes with it is useless, as the Sony cameras don't charge by cable. Cable is only used for data transfer. I can't attest to transfer speeds or charging speeds but some electricity definitely can flow through the cable. They are exact replacements for the original. One is in the suitcase, the other stays permanently at home. When the batteries died we went to charge them, only to find out we had the wrong charger. I contacted PowerExtra and when they got back to me they were more than willing to send me out a new charger. I got the charger yesterday and it appears to be the correct one and seems to have charged the batteries. The batteries themselves took quite a few pictures on a not full charge and the kids love having a camera of their own to use. These batteries and charger were priced very well. Thanks for the great customer support PowerExtra. The replacement cord works great. The cord seems to be well made but only time will tell its longevity. Assuming this one doesn't get lost too. A company representative sent a quick, friendly, and informative response to my email query about shipping dates for the product before I purchased it. I've been very happy with the performance of the batteries during the month or so that I've been using them. They last about twice as long as the OEM battery, and the external charger allows me to always have a charged battery ready to go. Great product, great service.

I lost my charger for my previous camera charger so I figured I would order a new charger and it was just a bonus it had two batteries. The quality and quantity of this package for the price is awesome. Descubra Suporte Suporte Suporte Central de Servico Autorizado Chat Online Sony Explica Entrar Favoritos Minha Conta Meus Pedidos Cadastre-se Registro de Produto Favoritos Logout Favoritos Carrinho de compras Pesquise na Sony Sites Sony Pesquise na Sony Para aproveitar ao maximo o Sony.com, altere suas configuracoes para habilitalo. Siga estas etapas para transferir fotos da camera para um computador usando uma conexao USB padrao. **IMPORTANTE** Este procedimento deve ser executado enquanto estiver conectado como administrador ou com uma conta A camera nao liga. **IMPORTANTE** Se informacoes especificas do modelo sao necessarias para concluir qualquer uma das etapas nesta solucao, consulte as instrucoes de operacao fornecidas com o produto. Siga as etapas abaixo para verificar Uma sombra escura aparece na parte inferior das imagens tiradas com flash. **IMPORTANTE** Este problema nao ocorre em todos os modelos. Dependendo da condicao quando disparar na extremidade larga com flash incorporado, a sombra da lente projetada pela luz do flash pode aparecer na parte inferior O computador nao reconhece a conexao USB de uma camera digital Sony. Quando uma camera Sony for conectada a porta USB do computador e ligada, a mensagem de conexao do Modo USB ou Armazenamento em massa deve sempre aparecer na tela da camera. Se o Modo USB ou Armazenamento em massa Como faco para redefinir minha camera. Os processos para redefinir sua camera para as configuracoes originais de

fabrics are different from model to model. Consult the manual of instructions of your product for more information. HDMI Cable Standard also known as category 1 have been tested by HDMI Licensing, LLC for speeds of 75MHz. This is equivalent to a signal of 1080i.

HDMI Cable of high speed A TV does not reproduce videos of a camera or video camera connected through a USB connection. Some steps in this response indicate the manual for your product. **IMPORTANT** Some video files may not reproduce on your TV through a USB connection. This occurs due to the frame rate or format of the video. The error REINSERT the memory MEMORY CARD and display on the LCD screen. The camera displays a format error FORMAT ERROR on the LCD screen. Follow the steps below to solve this problem. **IMPORTANT** If specific information of the model is necessary to complete any of these steps, consult the instructions provided with the product. 1 The message to TURN OFF AND ON AGAIN the power and display. If you press the power button, the camera will detect a malfunction and the error message may appear. In addition, problems may occur. We recommend downloading and installing the latest version of one of the following browsers. Our site is not optimized for your current browser. A more recent version of your browser may be available. Chrome: Download the latest version of Chrome. Internet Explorer: Download the latest version of Internet Explorer. Firefox: Download the latest version of Firefox. Safari: Download the latest version of Safari. Continue with the current browser. Replace only with the part number specified. Les composants identifiés par une marque sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié. In case of the lens block assembly, main board, or main frame assembly failure, contact your local Sony Service Headquarter for the measures. Thank you, for helping us keep this platform clean. The editors will have a look at it as soon as possible. Replace only with part number specified.

Check the entire board surface for solder splashes and bridges. Point them out to the customer and recommend their replacement. Do not touch the soldering iron on the same conductor of the circuit board within 3 times. Be careful not to apply force on the conductor when soldering or unsoldering. Ordinary soldering irons can be used but the iron tip has to be applied to the solder joint for a slightly longer time. Soldering irons using a temperature regulator should be set to about 350 °C. Caution The printed pattern copper foil may peel away if the heated tip is applied for too long, so be careful. Strong viscosity Unleaded solder is more viscous, sticky, less prone to flow than ordinary solder so use caution not to let solder bridges occur such as on IC pins, etc. Usable with ordinary solder It is best to use only unleaded solder but unleaded solder may also be added to ordinary solder. Replace only with the same or equivalent type. IDG Communications neither assumes legal liability or responsibility for the accuracy, completeness or usefulness of any product specifications supplied. View our privacy policy before signing up. Sign up here Copyright 2013 IDG Communications. Sign up now. For details on the operation 1 page 30 Selects the metering mode that sets which part of the subject to measure to determine the Spot Spot metering Spot metering cross hairs. Positions on the subject Measures the center of the image, and determines the Multi Multipattern Divides into multiple regions and measures each region. The For details on the operation 1 page 30. WB White Balance Adjusting the color tones. Adjusts the color tones according to the lighting condition in a situation, for example, when Flash WB . Adjusts for the flash conditions. Adjusts for places under an incandescent lamp, or under Cloudy . Using the menu. Incandescent n. Adjusts for fluorescent lighting. Adjusts for a cloudy sky or shaded area.

For details on the operation 1 page 30 Auto. Adjusts for conditions outside under a clear sky, at

sundown, Adjusts the White Balance automatically. ISO Selecting a luminous sensitivity. Small number. Large number The larger the number, the higher the Select an ISO sensitivity For details on the operation 1 page 30. P. Quality. Mode REC Mode Selecting the continuous shooting method. Selects whether the camera performs continuous shooting or not when you press the shutter button. Burst . Records the maximum number of images in succession refer Does not shoot continuously. The maximum number of continuous shots Size. Maximum continuous shots Using the menu For details on the operation 1 page 30 Adjusts the amount of flash light. Normal Adjusts the sharpness of the image. Normal See page 48. For details on the operation 1 page 30. The default settings are marked with Selects the folder containing the image you want to play back when using the camera with Cancel. Cancels the selection. Using the menu The camera stores images in a specified folder of a "Memory Stick Duo". You can change the folder or For details on the operation 1 page 30 Protects images against accidental erasure. The indicator appears on a protected image. Protect . See the following procedure. Exit. Exits the Protection function. To protect images in single image mode The image is protected and the protect indicator appears on the image. A green indicator appears on the selected image. The indicator turns white. The selected images are protected. For details on the operation 1 page 30. To cancel the protection. In single image mode. Press z in step 3 or 4 of "To protect images in single image mode.". In index mode To cancel protection of all images in the folder Using the menu. DPOF Adding a Print order mark. Adds a Printing images shot with the camera. See page 76. For details on the operation 1 page 30 Plays back recorded images in order Slide show. Interval Sets the slide show interval. Repeat. On.

Plays back images in a continuous loop. Off. After all the images have been played back, the slide show Image. You can select only when you use a "Memory Stick Duo" not supplied. Folder. Plays back all the images in the selected folder. All. Plays back all the images in a "Memory Stick Duo" in order. Start. Cancel. Cancels the slide show. The slide show starts. To end the slide show, press z pause the slide show. For details on the operation 1 page 30 Large size. Small size. You can change the image size of a recorded image Resize, and save it as a new file. The Cancels resizing. Using the menu The resized image is recorded in the recording folder as the newest file. For details on Image Size, see page 10. You cannot change the size of movies. When you change from a small size to a large size, the image quality deteriorates. You cannot resize to an image size of 32 or 169. When you resize a 32 or 169 image, the upper and lower black portions will be displayed on the image. For details on the operation 1 page 30 Rotates a still image. Rotates an image. See the following procedure. See the following procedure. Cancels rotation. See page 48. For details on the operation 1 page 30. Trimming Recording an enlarged image. Records an enlarged image page 28 as a new file. Trimming. Return. Cancels trimming. The image is recorded, and the original image is displayed again. Using the menu Using Setup items. You can change the default settings using the Setup screen. Mode dial. MENU button Control button To return to the menu from the When the menu is not displayed. Press MENU longer to display the. To cancel the If it does not appear, select For details on the operation 1 page 48. The default settings are marked with. Digital Zoom. Selects the digital zoom mode. The camera enlarges the image using optical zoom up to 3. When the zoom scale exceeds 3, the camera uses either smart or precision digital zoom. Smart Enlarges the image digitally with almost no distortion. This is.

Precision Enlarges all image sizes up to a maximum of 6, but the Off. Does not use the digital zoom. Maximum zoom scale Size. The W side of this line is the optical zoom area, Zoom scaling indicator. However, this phenomenon has no For details on the operation 1 page 48 When you operate the camera, the description of functions is displayed. Displays the function guide. Does not display the function guide. Red Eye Reduction. The flash strobes two or more times before On . Reduces the redeye phenomenon. Does not use Red Eye Reduction. Auto Review. Displays the recorded image on the screen for approximately two seconds immediately after On. Use the Auto Review. Does not use Auto Review. For details on the operation 1 page 48. This item does not appear when a "Memory

Stick Duo" is inserted in the camera. Format. Formats the internal memory. The message "All data in internal memory will be erased Ready" appears. The format is complete. To cancel the formatting. Using the Setup screenFor details on the operation 1 page 48. This item appears only when a "Memory Stick Duo" is inserted in the camera. Formats the "Memory Stick Duo". A commercially available "Memory Stick Duo" is alreadyThe message "All data in Memory Stick will be erased Ready" appears. Create REC. Folder. Creates a folder in a "Memory Stick Duo" for recording images. The folder creation screen appears. A new folder is created with a number incremented one higher than the largest number, and theTo cancel the folder creation. When not creating a new folder, the "101MSDCF" folder is selected as the recording folder. You can create folders designated up to "999MSDCF.". Images are recorded in the newly created folder until a different folder is created or selected. You cannot delete a folder with the camera. To delete a folder, use your computer, etc. Up to 4,000 images can be stored in one folder. When the folder capacity is exceeded, a new folder isFor details on the operation 1 page 48. Change REC. Folder.

Changes the folder currently used for recording images. The folder selection screen appears. To cancel changing the recording folder. Copy. Copies all images in the internal memory to a "Memory Stick Duo".Copying starts. To cancel the copyingTo delete the contents of theYou cannot choose a specific folder on the "Memory Stick Duo" as the destination for the data to beFor details on the operation 1 page 48. LCD Backlight. Selects the brightness of the LCD backlight when using the camera with batteries. Bright. Brightens. Normal. BeepTurns on the shutter sound when you press the shutter button. Language. Selects the language to be used to display the menu items, warnings, and messages. Using the Setup screen. Shutter. Initialize. Initializes the setting to the default setting. Even if you execute this function, the images stored in the internal memory are retained. The message "Initialize all settings Ready" appears. The settings are reset to the default setting.For details on the operation 1 page 48. USB Connect. Selects the USB mode to be used when connecting the camera to a computer or a PictBridgePictBridge. Connects the camera to a PictBridge compliant printerWindows XP and Mac OS X. Mass Storage. Establishes a Mass Storage connection between the cameraVideo Out. Sets the video signal output according to the TV color system of the connected videoUSA, Japan.Clock Set. Sets the date and time.Viewing images on a TVThe connection varies according to the type of TV the camera is connected to. Viewing images by connecting the camera to a TV with the supplied. Turn off both the camera and the TV before connecting the camera to the TV.Images shot with the camera appear on the TV.If you want to view images on a TV screen, you need a TV with a video input jack and the. Check the following lists for the TV color system of the country or region where the camera isNTSC system. Bahama Islands, Bolivia, Canada, Central America, Chile, Colombia, Ecuador, Jamaica.